

**ARKANSAS DEPARTMENT OF ENVIRONMENTAL QUALITY
ANNUAL REPORT FORM FOR PERMITTED
LIQUID ANIMAL WASTE MANGAMENT SYSTEMS**

REPORTING PERIOD: 2017

PERMITTEE NAME: Ellis Campbell / EC Farms PERMIT NUMBER: 5282-W

PHONE NUMBER: 870-688-8992 AFIN NUMBER: 51-00020

FACILITY TYPE AND SIZE: Land Application Only
(ie., 200 Cow Dairy, 2,500 Swine Finishing, 80,000 Bird Layer Operation, etc.)

WASTE DISPOSAL SYSTEM CONSISTS OF: n/a
(ie., Holding Pond, Holding Pond & Settling Basin, Concrete Holding Tank, etc.)

WASTE APPLICATION METHOD: Tank Spreader
(ie., Tank Spreader, Irrigation System, etc.)

NO. OF APPLICATION FIELDS: 32

TOTAL AVAILABLE ACREAGE: 551.2

WASTEWATER SAMPLE LOCATION: C+H Hog Farms, Inc. Holding Pond 1 and Holding Pond 2
(Lagoon During Pumping or Field During Application)

YOU MUST SUBMIT A COPY OF THE **WASTEWATER ANALYSIS** FOR EACH SAMPLE PROVIDED TO THE COOPERATIVE EXTENSION SERVICE OR A PRIVATE LAB. THE WASTEWATER ANALYSIS MUST INCLUDE: pH (su), TOTAL NITROGEN, AMMONIA NITROGEN, TOTAL POTASSIUM, TOTAL PHOSPHORUS, AND PERCENT SOLIDS.

IN ADDITION, YOU MUST SUBMIT A COPY OF THE **SOIL ANALYSIS** FOR EACH FIELD WITH THIS FORM. THE SOIL ANALYSIS MUST INCLUDE: pH (su), POTASSIUM (lbs/ac), PHOSPHORUS (lbs/ac), AND NITRATES (lbs/ac). SAMPLING AND ANALYSIS SHOULD BE CONDUCTED IN ACCORDANCE WITH THE UNIVERSITY OF ARKANSAS COOPERATIVE EXTENSION SERVICE GUIDELINES UNLESS OTHERWISE SPECIFIED.

PLEASE COMPLETE THE TABLE ON THE BACK FOR THE LAND APPLICATION REPORT. YOU MUST SIGN AND DATE THIS REPORT AND SUBMIT IT TO THE DEPARTMENT PRIOR TO MAY 30th OF EACH YEAR. PLEASE KEEP A COPY OF THIS REPORT, THE SOIL ANALYSIS, AND THE WASTEWATER ANALYSIS FOR YOUR RECORD AT THE FACILITY.

I CERTIFY UNDER PENALTY OF LAW THAT I HAVE EXAMINED AND AM FAMILIAR WITH THE INFORMATION SUBMITTED HEREIN AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION.		
<u>Ellis Campbell</u> OWNER OR OPERATOR (Please Print)	<u>Ellis Campbell</u> SIGNATURE	<u>3/15/18</u> DATE

Mail complete annual report form and annual application report to:
Arkansas Department of Environmental Quality
Permits Branch, Office of Water Quality
5301 Northshore Drive
North Little Rock, AR 72118

Summary

ANNUAL ANIMAL WASTE LAND APPLICATION REPORT

PERMITTEENAME: Ellis Campbell/EC Farms PERMIT NUMBER: 5282-W

Field Name or/and Number	Crop Type	Total* Area Applied (acres)	Total** Volume Applied (gallons)	Total*** Nitrogen (lbs/1000 gal.)	Calculated Nitrogen Applied (lbs/ac)
(1)	(2)	(3)	(4)	(5)	(6)
RM1			75,000		
RM2			99,000		
MM1			114,000		
MM2			120,000		
MM3			33,000		
RC3			96,000		
RC4			78,000		
CB1			72,000		

*Total available area is the area where manure was applied during the reporting period (this data can be obtained from the management plan).

**Total volume applied is the total volume applied to the field during the whole reporting period (this data can be obtained from record sheet).

***Total Nitrogen concentration (lbs/1000 gallons) can be obtained from the wastewater analysis sheet.

Column (6) = Nitrogen Applied (lbs/ac) = Column(4) X Column(5) ÷ Column (3) ÷ 1,334

NOTE: You may make additional copies of this table as needed.

Spring Application

using Wastewater Sample from C+H Hog Farms, Inc. Holding Pond 1,
Feb 2017

ANNUAL ANIMAL WASTE LAND APPLICATION REPORT

PERMITTEENAME: Ellis Campbell/EC Farms PERMIT NUMBER: 5282-W

Field Name or/and Number	Crop Type	Total* Area Applied (acres)	Total** Volume Applied (gallons)	Total*** Nitrogen (lbs/1000 gal.)	Calculated Nitrogen Applied (lbs/ac)
(1)	(2)	(3)	(4)	(5)	(6)
RM1	Mixed	25 ^{*see note}	75,000	24.8	55.8
RM2	Mixed	21.4	99,000	24.8	86
MM1	Mixed	13.8	114,000	24.8	153.6
MM2	Mixed	29.8	120,000	24.8	74.9
MM3	Mixed	8 ^{*see note}	33,000	24.8	76.7
RC3	Mixed	12	48,000	24.8	74.4
RC4	Mixed	18.4	78,000	24.8	78.8
CB1	Mixed	12.5	72,000	24.8	107.1

*Total available area is the area where manure was applied during the reporting period (this data can be obtained from the management plan).

**Total volume applied is the total volume applied to the field during the whole reporting period (this data can be obtained from record sheet).

***Total Nitrogen concentration (lbs/1000 gallons) can be obtained from the wastewater analysis sheet.

Column (6) = Nitrogen Applied (lbs/ac) = Column(4) X Column(5) ÷ Column (3) ÷ 1,334

NOTE: You may make additional copies of this table as needed.

* Field RM1 has 82.2 spreadable acres; however, land application only occurred on 25 of the 82.2 spreadable acres in 2017.
 ** Field MM3 has 10.9 spreadable acres; however, land application only occurred on 8 of the 10.9 spreadable acres in 2017.

Summer Application

using Wastewater Sample from C+H Hog Farms, Inc. Holding Pond 1,
Jul 2017

ANNUAL ANIMAL WASTE LAND APPLICATION REPORT

PERMITTEENAME: Ellis Campbell/EC Farms PERMIT NUMBER: 5282-W

Field Name or/and Number	Crop Type	Total* Area Applied (acres)	Total** Volume Applied (gallons)	Total*** Nitrogen (lbs/1000 gal.)	Calculated Nitrogen Applied (lbs/ac)
(1)	(2)	(3)	(4)	(5)	(6)
RC3	Mixed	12	48,000	22.4	67.2

*Total available area is the area where manure was applied during the reporting period (this data can be obtained from the management plan).

**Total volume applied is the total volume applied to the field during the whole reporting period (this data can be obtained from record sheet).

***Total Nitrogen concentration (lbs/1000 gallons) can be obtained from the wastewater analysis sheet.

Column (6) = Nitrogen Applied (lbs/ac) = Column(4) X Column(5) ÷ Column (3) ÷ 1,334

NOTE: You may make additional copies of this table as needed.

AGRICULTURAL DIAGNOSTIC SERVICE LABORATORY

1366 W. Altheimer Dr., Fayetteville, AR 72704

(479)575-3908

agrilab@uark.edu

University of Arkansas, Dept. of Crops, Soils, and Environmental Science



LIQUID MANURE FOR FERTILIZER ANALYSIS (report for AGRI-429)

Name:	KARL VanDEVENDER	Received in lab:	2/02/2017
Address:	2301 S. UNIVERSITY AVE	E- Mailed:	2/14/2017 (9 business days)
City:	LITTLE ROCK	State, Zip:	AR 72204
County:		Phone #:	
E-Mail:	kvandevender@uaex.edu, sharpley@uark.edu	Check #:	Bill to BCRET fund (Sharpley)

Lab. No.	M70166	M70167				
Sample I.D.	HP1P	HP2P				
Animal type	swine	swine				
age / lbs	no info	no info				
Bedding type	none	none				
Manure type	pond liquid	pond liquid				
Sample date	2/02/2017	2/02/2017				
Age of manure	no info	no info				
pH	7.6	8.0				
EC(µmhos/cm)	13910	10020				
% Solids	4.49	2.91				

-mg/l on as-is basis-

Total N	2980	1480				
Total P	1596	165				
Total K	1716	1345				
Total Ca	1355	59				
NH4-N	1343	638				
Water Extractable P	187	114				

-lbs/1000 gal on as-is basis-

Total N	24.8	12.3				
TOTAL P AS						
"P2O5"	30.4	3.2				
TOTAL K AS						
"K2O"	17.2	13.4				
Total Ca	11.3	0.5				
NH4-N	11.2	5.3				
Water Extractable P	1.6	1.0				

*lbs/1000gal P2O5 = mg/l Total P on "as-is" basis multiplied by 2.29*0.00833

*lbs/1000gal K2O = mg/l Total K on "as-is" basis multiplied by 1.2*0.00833

*Water Extractable P: 1:100 solids to H2O ratio, 1 hr shake, centrifuged, filtered, acidified, analysis by ICP

AGRICULTURAL DIAGNOSTIC SERVICE LABORATORY

1366 W. Altheimer Dr., Fayetteville, AR 72704

(479)575-3908 agrilab@uark.edu

University of Arkansas, Dept. of Crops, Soils, and Environmental Science

LIQUID MANURE FOR FERTILIZER ANALYSIS (report for AGRI-429)



Name:	KARL VanDEVENDER	Received in lab:	2/02/2017
Address:	2301 S. UNIVERSITY AVE	E- Mailed:	2/14/2017 (9 business days)
City:	LITTLE ROCK	State, Zip:	AR 72204
County:		Phone #:	
E-Mail:	kvandevender@uaex.edu, sharpley@uark.edu	Check #:	Bill to BCRET fund (Sharpley)

Lab. No.	M70166	M70167			
Sample I.D.	HP1P	HP2P			
Animal type	swine	swine			
age / lbs	no info	no info			
Bedding type	none	none			
Manure type	pond liquid	pond liquid			
Sample date	2/02/2017	2/02/2017			
Age of manure	no info	no info			
pH	7.6	8.0			
EC(µmhos/cm)	13910	10020			
% Solids	4.49	2.91			

-mg/l on as-is basis-

Total N	2980	1480			
Total P	1596	165			
Total K	1716	1345			
Total Ca	1355	59			
NH4-N	1343	638			
Water Extractable P	187	114			

-lbs/1000 gal on as-is basis-

Total N	24.8	12.3			
TOTAL P AS "P2O5"	30.4	3.2			
TOTAL K AS "K2O"	17.2	13.4			
Total Ca	11.3	0.5			
NH4-N	11.2	5.3			
Water Extractable P	1.6	1.0			

*lbs/1000gal P2O5 = mg/l Total P on "as-is" basis multiplied by 2.29*0.00833

*lbs/1000gal K2O = mg/l Total K on "as-is" basis multiplied by 1.2*0.00833

*Water Extractable P: 1:100 solids to H2O ratio, 1 hr shake, centrifuged, filtered, acidified; analysis by ICP



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution.

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed:	3/30/2015
Field ID:	CC 1
Acres	5
Lime Applied in the last 4 years	No
Leveled in past 4 years:	No
Irrigation:	Unknown
County:	Newton
Lab Number	49145
Sample Number.	3250711

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	374	748	Above Optimum
K	94	188	Medium
Ca	901	1802	..
Mg	200	400	..
SO4-S	16	32	..
Zn	19.2	38.4	..
Fe	188	376	..
Mn	224	448	..
Cu	6.8	13.6	..
B	0	0	..
NO3-N	16	32	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6	--		
Soil EC (1:2 soil-water)	28	umhos/cm		
Soil Estimated CEC	9.47	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
68.32	47.58	17.60	2.55	0.60

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Hay (142)	-----lb/acre-----						
Crop 1	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	220	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	180	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 3 ton (143)	120	0	150	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
[http //soiltest uaex.edu](http://soiltest.uaex.edu)

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:		3/30/2015
Field ID:		JG A
Acres		14
Lime Applied in the last 4 years:		No
Leveled in past 4 years:		No
Irrigation:		Unknown
County:		Newton
Lab Number		49161
Sample Number		3250726

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	351	702	Above Optimum
K	79	158	Low
Ca	813	1626	--
Mg	178	356	--
SO4-S	18	36	--
Zn	19.6	39.2	--
Fe	182	364	--
Mn	220	440	--
Cu	8.2	16.4	--
B	0	0	--
NO3-N	30	60	

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.7	--		
Soil EC (1:2 soil-water)	42	umhos/cm		
Soil Estimated CEC	9.82	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
59.27	41.39	15.10	2.06	0.71

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	100	0	0	0	4000
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	260	0	0	0	4000
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	220	0	0	0	4000

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed:	3/30/2015
Field ID	EC A
Acres:	5
Lime Applied in the last 4 years	No
Leveled in past 4 years.	No
Irrigation:	Unknown
County:	Newton
Lab Number:	49143
Sample Number	3250709

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	93	186	Above Optimum
K	75	150	Low
Ca	459	918	..
Mg	72	144	..
SO4-S	17	34	..
Zn	3.5	7	..
Fe	151	302	..
Mn	144	288	..
Cu	1.9	3.8	..
B	0	0	..
NO3-N	7	14	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.2	..		
Soil EC (1:2 soil-water)	18	umhos/cm		
Soil Estimated CEC	8.65	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Sandy Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
36.40	26.54	6.94	2.22	0.70

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	-----lb/acre-----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	100	0	0	0	4000
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity-affirmative action institution.

EC FARMS	Client ID.	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:		3/30/2015
Field ID		HB 1
Acres		11
Lime Applied in the last 4 years.		No
Leveled in past 4 years:		No
Irrigation		Unknown
County		Newton
Lab Number		49163
Sample Number.		3250728

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	13	26	Very Low
K	119	238	Medium
Ca	943	1886	..
Mg	73	146	..
SO4-S	20	40	..
Zn	3.4	6.8	..
Fe	108	216	.
Mn	292	584	..
Cu	0.8	1.6	..
B	0	0	..
NO3-N	16	32	.

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.9	--		
Soil EC (1:2 soil-water)	28	umhos/cm		
Soil Estimated CEC	8.72	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
65.61	54.05	6.97	3.50	1.10

3. Recommendations

(Notice State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	120	60	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution

EC FARMS	Client ID:	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:		3/30/2015
Field ID		HB 2
Acres:		20
Lime Applied in the last 4 years:		No
Leveled in past 4 years		No
Irrigation		Unknown
County:		Newton
Lab Number:		49156
Sample Number:		3250721

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	16	32	Low
K	147	294	Optimum
Ca	571	1142	--
Mg	73	146	--
SO4-S	14	28	--
Zn	1.6	3.2	--
Fe	105	210	--
Mn	186	372	--
Cu	0.8	1.6	--
B	0	0	--
NO3-N	13	26	--

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.9	--		
Soil EC (1:2 soil-water)	21	umhos/cm		
Soil Estimated CEC	6.90	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
56.50	41.40	8.82	5.47	0.82

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop Pasture (212)	----- lb/acre -----						
Crop 1 Mixed Cool and Warm-Season Grasses for Pasture (212)	60	80	40	0	0	0	0
Crop 2							
Crop 3							

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID:		LCM 1
Acres:		19
Lime Applied in the last 4 years:		No
Leveled in past 4 years:		No
Irrigation:		Unknown
County		Newton
Lab Number		49162
Sample Number		3250727

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	29	58	Medium
K	63	126	Low
Ca	1389	2778	-
Mg	35	70	--
SO4-S	11	22	--
Zn	1.2	2.4	--
Fe	81	162	-
Mn	51	102	-
Cu	0.8	1.6	--
B	0	0	--
NO3-N	13	26	--

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.5	--		
Soil EC (1:2 soil-water)	29	umhos/cm		
Soil Estimated CEC	10.01	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
75.03	69.37	2.91	1.61	1.13

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	-----lb/acre-----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	40	100	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	90	260	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	80	220	0	0	0	0

4. Crop 1 Notes:


To favor cool-season grasses, apply N in late winter. To favor warm-season grasses do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID.	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID:		LCM2
Acres:		16
Lime Applied in the last 4 years:		No
Leveled in past 4 years:		No
Irrigation:		Unknown
County:		Newton
Lab Number:		49148
Sample Number		3250715

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	12	24	Very Low
K	59	118	Very Low
Ca	943	1886	
Mg	71	142	--
SO4-S	15	30	--
Zn	2.1	4.2	--
Fe	114	228	--
Mn	380	760	--
Cu	1	2	--
B	0	0	
NO3-N	18	36	--

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.9	--		
Soil EC (1:2 soil-water)	27	umhos/cm		
Soil Estimated CEC	8.53	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
64.84	55.26	6.93	1.77	0.87

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm Season Grasses 5 ton (145)	200	135	310	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 4 ton (144)	160	120	270	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 3 ton (143)	120	105	230	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed:	3/30/2015
Field ID:	LCM3
Acres	19
Lime Applied in the last 4 years	No
Leveled in past 4 years.	No
Irrigation	Unknown
County	Newton
Lab Number	49151
Sample Number	3250718

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	34	68	Medium
K	66	132	Low
Ca	1072	2144	--
Mg	69	138	--
SO4-S	13	26	--
Zn	2.4	4.8	--
Fe	105	210	-
Mn	115	230	-
Cu	1.4	2.8	--
B	0	0	-
NO3-N			-

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.9	--		
Soil EC (1:2 soil-water)		umhos/cm		
Soil Estimated CEC	9.20	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam - Silty Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
67.38	58.29	6.25	1.84	0.99

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop Hay (142)	-----lb/acre-----						
Crop 1 Mixed Cool and Warm Season Grasses 5 ton (145)	200	90	260	0	0	0	0
Crop 2 Mixed Cool and Warm Season Grasses 4 ton (144)	160	80	220	0	0	0	0
Crop 3 Mixed Cool and Warm Season Grasses 3 ton (143)	120	60	180	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity, affirmative action institution.

EC FARMS	Client ID.	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed.		3/30/2015
Field ID:		RM 1
Acres.		82
Lime Applied in the last 4 years		No
Leveled in past 4 years		No
Irrigation:		Unknown
County.		Newton
Lab Number		49138
Sample Number		3250705

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	9	18	Very Low
K	48	96	Very Low
Ca	375	750	--
Mg	49	98	--
SO4-S	8	16	--
Zn	1.6	3.2	--
Fe	130	260	--
Mn	116	232	--
Cu	0.6	1.2	--
B	0	0	--
NO3-N	2	4	--

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.9	--		
Soil EC (1:2 soil-water)	8	umhos/cm		
Soil Estimated CEC	5.46	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Sandy Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
45.04	34.35	7.48	2.25	0.96

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	120	160	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution.

EC FARMS	Client ID.	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		RM 2
Acres		21
Lime Applied in the last 4 years		No
Leveled in past 4 years.		No
Irrigation		Unknown
County		Newton
Lab Number		49139
Sample Number.		3250706

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	87	174	Above Optimum
K	69	138	Low
Ca	522	1044	..
Mg	61	122	..
SO4-S	10	20	..
Zn	4	8	..
Fe	193	386	..
Mn	227	454	..
Cu	15	3	..
B	0	0	..
NO3-N	4	8	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.6	--		
Soil EC (1:2 soil-water)	9	umhos/cm		
Soil Estimated CEC	7.34	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
45.49	35.56	6.93	2.41	0.59

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	100	0	0	0	4000
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	260	0	0	0	4000
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	220	0	0	0	4000

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed	3/30/2015	
Field ID	MM1	
Acres	3	
Lime Applied in the last 4 years:	No	
Leveled in past 4 years.	No	
Irrigation	Unknown	
County	Newton	
Lab Number	49130	
Sample Number.	3250697	

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	60	120	Above Optimum
K	90	180	Low
Ca	2091	4182	..
Mg	98	196	..
SO4-S	13	26	..
Zn	4.7	9.4	..
Fe	199	398	..
Mn	225	450	..
Cu	3.1	6.2	..
B	0	0	..
NO3-N	8	16	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.3	--		
Soil EC (1:2 soil-water)	19	umhos/cm		
Soil Estimated CEC	15.11	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silty Clay Loam - Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
76.84	69.19	5.40	1.53	0.72

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	100	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	260	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	220	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID.	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		MM2
Acres		30
Lime Applied in the last 4 years		No
Leveled in past 4 years		No
Irrigation		Unknown
County		Newton
Lab Number		49133
Sample Number		3250700

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	102	204	Above Optimum
K	118	236	Medium
Ca	1440	2880	..
Mg	105	210	..
SO4-S	13	26	..
Zn	5.8	11.6	..
Fe	197	394	..
Mn	190	380	..
Cu	2.8	5.6	..
B	0	0	..
NO3-N	7	14	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.9	--		
Soil EC (1:2 soil-water)	17	umhos/cm		
Soil Estimated CEC	11.94	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam - Silty Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
70.68	60.31	7.33	2.53	0.51

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)						
	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	60	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	220	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	180	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution.

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed	3/30/2015
Field ID	MM3
Acres	11
Lime Applied in the last 4 years	No
Leveled in past 4 years	No
Irrigation	Unknown
County	Newton
Lab Number	49132
Sample Number	3250699

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	65	130	Above Optimum
K	144	288	Optimum
Ca	1846	3692	.
Mg	93	186	.
SO4-S	11	22	..
Zn	4.7	9.4	..
Fe	194	388	..
Mn	145	290	..
Cu	2.5	5	..
B	0	0	..
NO3-N	10	20	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.7	..		
Soil EC (1:2 soil-water)	22	umhos/cm		
Soil Estimated CEC	13.43	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam - Silty Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
77.66	68.72	5.77	2.75	0.42

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
		----- lb/acre -----						
Last Crop	Pasture (212)							
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	40	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	180	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	150	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:		3/30/2015
Field ID		RC3
Acres		12
Lime Applied in the last 4 years		No
Leveled in past 4 years		No
Irrigation:		Unknown
County:		Newton
Lab Number:		49131
Sample Number		3250698

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	86	172	Above Optimum
K	47	94	Very Low
Ca	592	1184	..
Mg	57	114	..
SO4-S	13	26	..
Zn	2.9	5.8	..
Fe	174	348	..
Mn	190	380	..
Cu	1.5	3	..
B	0	0	..
NO3-N	2	4	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.5	..		
Soil EC (1:2 soil-water)	15	umhos/cm		
Soil Estimated CEC	8.12	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
44.56	36.47	5.85	1.48	0.75

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop Hay (142)	----- lb/acre -----						
Crop 1 Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	310	0	0	0	4000
Crop 2 Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	270	0	0	0	4000
Crop 3 Mixed Cool and Warm Season Grasses 3 ton (143)	120	0	230	0	0	0	4000

4. Crop 1 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS PO BOX 52 VENDOR	Client ID: 8706888992 AR 72683
Date Processed: Field ID: Acres: Lime Applied in the last 4 years Leveled in past 4 years: Irrigation	3/30/2015 RC 4 18 No No Unknown
County Lab Number Sample Number	Newton 49142 3250708

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	20	40	Low
K	220	440	Above Optimum
Ca	594	1188	..
Mg	106	212	..
SO4-S	15	30	..
Zn	2.8	5.6	..
Fe	124	248	..
Mn	365	730	..
Cu	1.2	2.4	..
B	0	0	..
NO3-N	5	10	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6	--		
Soil EC (1:2 soil-water)	19	umhos/cm		
Soil Estimated CEC	7.50	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
59.98	39.62	11.78	7.53	1.04

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop: Pasture (212)	-----lb/acre-----						
Crop 1: Mixed Cool and Warm-Season Grasses for Pasture (212)	60	80	0	0	0	0	0
Crop 2:							
Crop 3:							

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity, affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:		3/30/2015
Field ID:		PC1
Acres:		18
Lime Applied in the last 4 years:		No
Leveled in past 4 years:		No
Irrigation:		Unknown
County		Newton
Lab Number		49140
Sample Number		3250707

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	30	60	Medium
K	206	412	Above Optimum
Ca	973	1946	..
Mg	154	308	..
SO4-S	22	44	..
Zn	3.3	6.6	..
Fe	140	280	..
Mn	178	356	..
Cu	1.2	2.4	..
B	0	0	..
NO3-N	6	12	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.4	--		
Soil EC (1:2 soil-water)	15	umhos/cm		
Soil Estimated CEC	11.26	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
60.03	43.21	11.40	4.69	0.73

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	40	0	0	0	0	5000
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB1
Acres		7
Lime Applied in the last 4 years		No
Leveled in past 4 years:		No
Irrigation:		Unknown
County:		Newton
Lab Number		49135
Sample Number		3250702

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	129	258	Above Optimum
K	103	206	Medium
Ca	1286	2572	..
Mg	226	452	..
SO4-S	17	34	..
Zn	7.8	15.6	..
Fe	140	280	..
Mn	266	532	..
Cu	1.5	3	..
B	0	0	..
NO3-N	14	28	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.6	..		
Soil EC (1:2 soil-water)	21	umhos/cm		
Soil Estimated CEC	11.16	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
77.61	57.59	16.87	2.37	0.78

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop Pasture (212)	----- lb/acre -----						
Crop 1 Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	60	0	0	0	0
Crop 2 Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	220	0	0	0	0
Crop 3 Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	180	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-5 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution.

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB 2
Acres		34
Lime Applied in the last 4 years		No
Leveled in past 4 years:		No
Irrigation		Unknown
County		Newton
Lab Number		49137
Sample Number		3250704

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	191	382	Above Optimum
K	326	652	Above Optimum
Ca	1465	2930	..
Mg	261	522	..
SO4-S	17	34	..
Zn	13.8	27.6	..
Fe	152	304	..
Mn	173	346	..
Cu	1.5	3	..
B	0	0	..
NO3-N	35	70	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.5	--		
Soil EC (1:2 soil-water)	37	umhos/cm		
Soil Estimated CEC	12.94	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
80.69	56.59	16.80	6.46	0.84

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	0	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity, affirmative action institution

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed	3/30/2015
Field ID	CB 3
Acres	2
Lime Applied in the last 4 years:	No
Leveled in past 4 years.	No
Irrigation	Unknown
County	Newton
Lab Number	49149
Sample Number	3250716

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	140	280	Above Optimum
K	195	390	Above Optimum
Ca	1112	2224	..
Mg	194	388	..
SO4-S	18	36	..
Zn	7.5	15	..
Fe	117	234	..
Mn	346	692	..
Cu	1.6	3.2	..
B	0	0	..
NO3-N	40	80	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.7	..		
Soil EC (1:2 soil-water)	46	umhos/cm		
Soil Estimated CEC	10.24	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
75.58	54.31	15.79	4.88	0.59

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	0	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:

Cooperative Extension Service
Soil Testing And Research Laboratory
Marianna, AR 72360
http://soiltest.uaex.edu

The University of Arkansas is an equal opportunity/affirmative action institution.

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed.	3/30/2015
Field ID:	CB 4
Acres	16
Lime Applied in the last 4 years:	No
Leveled in past 4 years.	No
Irrigation:	Unknown
County	Newton
Lab Number	49136
Sample Number:	3250703

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	123	246	Above Optimum
K	49	98	Very Low
Ca	1024	2048	..
Mg	121	242	..
SO4-S	11	22	.
Zn	4.6	9.2	..
Fe	171	342	..
Mn	145	290	
Cu	1.6	3.2	..
B	0	0	..
NO3-N	4	8	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.1	--		
Soil EC (1:2 soil-water)	12	umhos/cm		
Soil Estimated CEC	9.35	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
67.90	54.79	10.79	1.34	0.98

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	160	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	310	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	270	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity, affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB 5
Acres		2
Lime Applied in the last 4 years		No
Leveled in past 4 years		No
Irrigation		Unknown
County		Newton
Lab Number		49160
Sample Number		3250725

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	109	218	Above Optimum
K	170	340	Optimum
Ca	1806	3612	..
Mg	182	364	..
SO4-S	14	28	..
Zn	6.7	13.4	..
Fe	166	332	..
Mn	173	346	..
Cu	2.1	4.2	..
B	0	0	..
NO3-N	19	38	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.1	--		
Soil EC (1:2 soil-water)	28	umhos/cm		
Soil Estimated CEC	14.57	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam - Silty Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
75.98	61.98	10.41	2.99	0.60

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)


Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	40	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID:	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB 6
Acres		13
Lime Applied in the last 4 years		No
Leveled in past 4 years.		No
Irrigation:		Unknown
County		Newton
Lab Number		49134
Sample Number		3250701

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	204	408	Above Optimum
K	46	92	Very Low
Ca	1305	2610	..
Mg	108	216	.
SO4-S	13	26	..
Zn	6.3	12.6	..
Fe	173	346	.
Mn	142	284	..
Cu	2.1	4.2	.
B	0	0	..
NO3-N	7	14	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.3	..		
Soil EC (1:2 soil-water)	12	umhos/cm		
Soil Estimated CEC	10.63	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
71.77	61.41	8.47	1.11	0.78

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	160	0	0	0	0
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	0	310	0	0	0	0
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	0	270	0	0	0	0

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

Cooperative Extension Service
Soil Testing And Research Laboratory
Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution.

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB 7
Acres		44
Lime Applied in the last 4 years:		No
Leveled in past 4 years:		No
Irrigation:		Unknown
County:		Newton
Lab Number		49113
Sample Number:		3250731

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	135	270	Above Optimum
K	235	470	Above Optimum
Ca	1188	2376	..
Mg	202	404	..
SO4-S	20	40	..
Zn	7.8	15.6	..
Fe	139	278	..
Mn	199	398	..
Cu	1.2	2.4	..
B	0	0	..
NO3-N	49	98	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.5	--		
Soil EC (1:2 soil-water)	75	umhos/cm		
Soil Estimated CEC	10.88	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
77.02	54.61	15.47	5.54	1.40

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	0	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution.

EC FARMS	Client ID.	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB 8
Acres		7
Lime Applied in the last 4 years		No
Leveled in past 4 years.		No
Irrigation		Unknown
County		Newton
Lab Number		49164
Sample Number		3250729

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	133	266	Above Optimum
K	243	486	Above Optimum
Ca	2376	4752	..
Mg	264	528	
SO4-S	22	44	..
Zn	27.9	55.8	..
Fe	194	388	.
Mn	64	128	..
Cu	2.2	4.4	..
B	0	0	..
NO3-N	46	92	

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.2	--		
Soil EC (1:2 soil-water)	54	umhos/cm		
Soil Estimated CEC	18.39	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silty Clay Loam - Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
80.97	64.60	11.96	3.39	1.02

3. Recommendations

(Notice. State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	0	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution.

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:		3/30/2015
Field ID		CB 9
Acres:		20
Lime Applied in the last 4 years.		No
Leveled in past 4 years.		No
Irrigation		Unknown
County		Newton
Lab Number.		49159
Sample Number		3250724

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	64	128	Above Optimum
K	139	278	Optimum
Ca	2095	4190	..
Mg	188	376	..
SO4-S	15	30	..
Zn	3.9	7.8	..
Fe	165	330	..
Mn	83	166	..
Cu	1.2	2.4	..
B	0	0	..
NO3-N	16	32	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.8	..		
Soil EC (1:2 soil-water)	40	umhos/cm		
Soil Estimated CEC	17.52	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silty Clay Loam - Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
71.45	59.80	8.94	2.03	0.67

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop Pasture (212)	----- lb/acre -----						
Crop 1 Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	40	0	0	0	0
Crop 2							
Crop 3							

4. Crop 1 Notes:

To favor cool-season grasses apply N in late winter. To favor warm-season grasses do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-5 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed	3/30/2015
Field ID	CB 10
Acres	30
Lime Applied in the last 4 years.	No
Leveled in past 4 years	No
Irrigation	Unknown
County	Newton
Lab Number	49157
Sample Number	3250722

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	75	150	Above Optimum
K	102	204	Medium
Ca	1095	2190	..
Mg	152	304	..
SO4-S	13	26	..
Zn	3.1	6.2	..
Fe	150	300	..
Mn	49	98	..
Cu	1.6	3.2	..
B	0	0	..
NO3-N	18	36	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.8	..		
Soil EC (1:2 soil-water)	28	umhos/cm		
Soil Estimated CEC	11.11	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam - Silty Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
64.00	49.27	11.40	2.35	0.98

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	60	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses apply N in late winter. To favor warm-season grasses do not apply N until May 1. For higher production topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB 11
Acres		10
Lime Applied in the last 4 years:		No
Leveled in past 4 years		No
Irrigation		Unknown
County		Newton
Lab Number		49114
Sample Number		3250732

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	167	334	Above Optimum
K	258	516	Above Optimum
Ca	6420	12840	..
Mg	221	442	..
SO4-S	19	38	..
Zn	15	30	..
Fe	127	254	..
Mn	66	132	..
Cu	2	4	..
B	0.2	0.4	..
NO3-N	46	92	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	6.9	..		
Soil EC (1:2 soil-water)	96	umhos/cm		
Soil Estimated CEC	37.25	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Clay			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
93.29	86.17	4.94	1.78	0.40

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop	N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop Pasture (212)	----- lb/acre -----						
Crop 1 Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	0	0	0	0	0
Crop 2							
Crop 3							

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity affirmative action institution.

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		CB12
Acres		4
Lime Applied in the last 4 years.		No
Leveled in past 4 years		No
Irrigation		Unknown
County		Newton
Lab Number		49115
Sample Number		3250733

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	28	56	Medium
K	244	488	Above Optimum
Ca	3426	6852	..
Mg	518	1036	..
SO4-S	10	20	..
Zn	3.4	6.8	..
Fe	171	342	..
Mn	42	84	..
Cu	1.4	2.8	..
B	0	0	..
NO3-N	11	22	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.8	--		
Soil EC (1:2 soil-water)	50	umhos/cm		
Soil Estimated CEC	28.27	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Clay			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
78.77	60.60	15.27	2.21	0.69

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	40	0	0	0	0	0
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:

Cooperative Extension Service
Soil Testing And Research Laboratory
Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution.

EC FARMS	Client ID: 8706888992
PO BOX 52	
VENDOR	AR 72683
Date Processed:	3/30/2015
Field ID:	CB13
Acres	10
Lime Applied in the last 4 years	No
Leveled in past 4 years	No
Irrigation	Unknown
County	Newton
Lab Number	49112
Sample Number:	3250730

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	63	126	Above Optimum
K	107	214	Medium
Ca	1346	2692	..
Mg	156	312	..
SO4-S	14	28	..
Zn	4	8	..
Fe	134	268	..
Mn	54	108	..
Cu	1	2	..
B	0	0	..
NO3-N	14	28	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.5	--		
Soil EC (1:2 soil-water)	34	umhos/cm		
Soil Estimated CEC	13.91	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam - Silty Clay Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
60.47	48.37	9.34	1.97	0.78

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)							
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	0	60	0	0	0	4000
Crop 2								
Crop 3								

4. Crop 1 Notes:

To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

6. Crop 3 Notes:



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution.

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed		3/30/2015
Field ID		GD 1
Acres		10
Lime Applied in the last 4 years		No
Leveled in past 4 years		No
Irrigation		Unknown
County:		Newton
Lab Number		49155
Sample Number:		3250720

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	13	26	Very Low
K	117	234	Medium
Ca	409	818	..
Mg	77	154	..
SO4-S	22	44	..
Zn	2.9	5.8	..
Fe	105	210	..
Mn	404	808	..
Cu	1.3	2.6	..
B	0	0	..
NO3-N	8	16	..

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.2	..		
Soil EC (1:2 soil-water)	21	umhos/cm		
Soil Estimated CEC	8.56	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Sandy Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
35.75	23.89	7.50	3.50	0.86

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations.)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Pasture (212)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm-Season Grasses for Pasture (212)	60	120	60	0	0	0	4000
Crop 2	Mixed Cool and Warm Season Grasses 5 ton (145)	200	135	220	0	0	0	4000
Crop 3	Mixed Cool and Warm Season Grasses 4 ton (144)	160	120	180	0	0	0	4000

4. Crop 1 Notes:


To favor cool-season grasses, apply N in late winter. To favor warm-season grasses, do not apply N until May 1. For higher production, topdress 50 lb N/Acre after every 4-6 weeks of grazing or as needed.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72683
Date Processed:	3/30/2015	
Field ID	VI V1	
Acres:	23	
Lime Applied in the last 4 years	No	
Leveled in past 4 years	No	
Irrigation:	Unknown	
County:	Newton	
Lab Number	49147	
Sample Number	3250714	

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	25	50	Low
K	57	114	Very Low
Ca	522	1044	.
Mg	41	82	
SO4-S	15	30	--
Zn	1.5	3	--
Fe	111	222	--
Mn	119	238	.
Cu	0.8	1.6	--
B	0	0	--
NO3-N	7	14	--

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.3	--		
Soil EC (1:2 soil-water)	19	umhos/cm		
Soil Estimated CEC	7.65	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Silt Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
41.14	34.14	4.47	1.91	0.63

3. Recommendations (Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Hay (142)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm Season Grasses 5 ton (145)	200	110	310	0	0	0	5000
Crop 2	Mixed Cool and Warm Season Grasses 4 ton (144)	160	100	270	0	0	0	5000
Crop 3	Mixed Cool and Warm Season Grasses 3 ton (143)	120	80	230	0	0	0	5000

4. Crop 1 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.



Cooperative Extension Service
 Soil Testing And Research Laboratory
 Marianna, AR 72360
<http://soiltest.uaex.edu>

The University of Arkansas is an equal opportunity/affirmative action institution

EC FARMS	Client ID	8706888992
PO BOX 52		
VENDOR	AR	72663
Date Processed		3/30/2015
Field ID		VIV1A
Acres		13
Lime Applied in the last 4 years:		No
Leveled in past 4 years:		No
Irrigation		Unknown
County		Newton
Lab Number		49150
Sample Number:		3250717

1. Nutrient Availability Index

Nutrient	Concentration		Soil Test Level (Mehlich 3)
	ppm	lb/acre	
P	24	48	Low
K	60	120	Very Low
Ca	455	910	..
Mg	60	120	..
SO4-S	19	38	..
Zn	2.6	5.2	..
Fe	115	230	..
Mn	246	492	..
Cu	1.1	2.2	.
B	0	0	..
NO3-N	8	16	.

2. Soil Properties

Property	Value	Units		
Soil pH (1:2 soil-water)	5.4	..		
Soil EC (1:2 soil-water)	23	umhos/cm		
Soil Estimated CEC	7.54	cmolc/kg		
Organic Matter (Loss on Ignition)		%		
Estimated Soil Texture	Sandy Loam			
Estimated Base Saturation (%)				
Total	Ca	Mg	K	Na
40.30	30.18	6.63	2.04	1.44

3. Recommendations

(Notice: State and/or federal nutrient management regulations may supersede these agronomic recommendations)

Crop		N	P2O5	K2O	SO4-S	Zn	B	Lime
Last Crop	Hay (142)	----- lb/acre -----						
Crop 1	Mixed Cool and Warm Season Grasses 5 ton (145)	200	110	310	0	0	0	4000
Crop 2	Mixed Cool and Warm Season Grasses 4 ton (144)	160	100	270	0	0	0	4000
Crop 3	Mixed Cool and Warm Season Grasses 3 ton (143)	120	80	230	0	0	0	4000

4. Crop 1 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

5. Crop 2 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

6. Crop 3 Notes:

To favor cool-season grasses, apply fertilizer in split applications in late winter and after spring hay harvest. To favor warm-season grasses, do not apply N until May 1. Split apply the recommended fertilizer rates after each subsequent hay harvest.

UNITED STATES POSTAL SERVICE

This product is for use with Priority Mail.





PLACE STICKER AT TOP OF ENVELOPE TO THE RIGHT OF THE RETURN ADDRESS, FOLD AT DOTTED LINE

CERTIFIED MAIL



7015 0640 0000 4258 3557

PRIORITY MAIL

-  DATE OF DELIVERY SPECIFIED*
 -  USPS TRACKING™ INCLUDED*
 -  INSURANCE INCLUDED*
 -  PICKUP AVAILABLE
- * Domestic only

WHEN USED INTERNATIONALLY,
A CUSTOMS DECLARATION LABEL MAY BE REQUIRED.



PS00001000014

EP14F July 2013
OD: 12.5 x 9.5

PRESS FIRMLY TO SEAL

PR

VITES VICE

This product is for use with Priority Mail. Misuse may be a violation of federal law. This label is not for resale.


VISIT US AT USPS.COM
Label 106A, July 2013

FROM:

*EC Farms
PO Box 52
Vendor, AR 72683*

TO:

*Arkansas Department of Environmental Quality
Permits Branch, Office of Water Quality
5301 Northshore Drive
North Little Rock, AR 72118*



UNITED STATES POSTAGE
PITNEY BOWES
02 1P \$ 010.150
0004723921 MAR 15 2018
MAILED FROM ZIP CODE 72655

VISIT US AT USPS.COM®
ORDER FREE SUPPLIES ONLINE



This envelope is made from post-consumer waste. Please recycle - again.

This packaging is the property of the U.S. Postal Service® and is provided solely for use in sending Priority Mail® shipments. Misuse is a violation of federal law. This packaging is not for resale. EP14F © U.S. Postal Service; July 2013; All rights reserved.